

Balcony, terrace & front doors



Barrier-free doors in wood & wood-aluminium

With the UNILUX Plano zero threshold system



Barrier-free access for generations: Now and in the future

UNILUX Plano - the barrier-free zero threshold for balcony, terrace and front doors made of wood and wood-aluminium.

In an inclusive world, barrier-free construction is an expression of foresight and consideration for all needs. We design your home with a focus on accessibility, usability and ease of use. The innovative UNILUX Plano zero threshold system offers 100% wheelchair accessibility for balconies, terraces and front doors. In the process, new standards are set in terms of quality of living:

100 %
level and flush with the floor!



Sleek design

Timeless elegance meets functionality: Our solution offers a discreet appearance, is perfectly suited for the construction depth of the frame and can be used in many ways - whether for 1- or 2-leaf doors opening inwards or 1-leaf doors opening outwards. Aesthetics and practicality in one.

Low maintenance and care requirements

Maximum convenience and safety for your home! Removable profiles minimise the need for maintenance and care. And thanks to the intelligent design with no moving parts from below, you enjoy lasting functional safety without dirt affecting the sealing.

The UNILUX Plano zero threshold is available in the colours **black anodised** and **silver anodised**.



Can be used in many ways


Thermally separated system threshold to be embedded in the floor with only 20 mm of floor structure necessary for all requirements and designs.

Quality guarantee

Safety thanks to CE-tested UNILUX in-house development: The Plano zero threshold is classified as barrier-free according to DIN EN 18040, is CE-tested and offers optimum product and functional safety thanks to downward-sealing moving parts.

Perfect sealing

Reliable sealing is ensured by a well thought-out system of base profile, drop-down and continuous sealing level - compatible with proven drainage systems such as Aco-Inotec and various gutter covers for on-site drainage.



Advantages at a glance:

- Suitable for balcony, terrace, front and side entrance doors in wood or wood-aluminium
- 100 % barrier-free, floor-level passage without threshold stop
- Circumferential, continuous sealing level
- High functional safety
- CE-tested UNILUX in-house development



Contact:

Tel.: +49 (0) 6578 189-0

E-mail: info@unilux.de

For further information on products and

UNILUX partners:

www.unilux.de